

660 Speedvale Avenue West, Suite 102 Guelph, Ontario, Canada. N1K 1E5

Phone: (519) 767-9660 Ext. 101 E-mail: Brian@cdn.ca

Fax: (519) 767-6768 www.cdn.ca

Base Change Summary - April 2013

Each year, the genetic base used to express genetic evaluations in Canada is updated in conjunction with the first official release. The definition of each genetic base used is therefore as follows:

Breed(s)	Traits Production	Genetic Base Definition Used				
All		Cows born during a 3-year period centred seven years ago (2005, 2006 or 2007) that have test day records in the Canadian Test Day Model genetic evaluation analysis.				
Holstein	Conformation	Proven bulls born in the most recent complete 10-year period (1998 to 2007).				
Coloured	Conformation	Proven bulls born in the most recent complete 15-year period (1993 to 2007). For Canadienne and Milking Shorthorn breeds, the base period starts with proven bulls born in 1984.				

The table below indicates the amount of base change realized in 2013 compared to 2012 for each trait and breed. For LPI, the following base adjustments reflect the change to the new scale with half the variance compared to previous years.

	AY	BS	CN	GU	НО	JE	MS
LPI ¹	64	29	2	-17	79	50	44
Milk (kg)	68	-2	64	35	83	26	25
Fat (kg)	3.8	0.8	1.4	0.7	3.7	2.6	1.3
Protein (kg)	2.8	1.0	0.9	1.3	2.9	1.5	0.6
Conformation	0.52	0.31	0.17	-0.10	0.94	0.40	0.51
Mammary System	0.47	0.4	0.28	-0.09	0.80	0.35	0.45
Feet & Legs	0.42	-0.01	-0.33	0.10	0.74	0.27	0.31
Dairy Strength	0.34	0.24	0.21	-0.17	0.69	0.27	0.30
Rump	0.21	-0.03	0.00	-0.27	0.40	0.43	0.16
Herd Life ²	0.40	-0.07	0.00	0.20	0.27	0.51	0.39
Somatic Cell Score ³	-0.03	0.02	-0.03	0.01	-0.02	-0.03	-0.02
Daughter Fertility ²	-0.05	-0.12	-0.12	0.33	-0.24	0.07	-0.06

Base Changes for 2013 Versus 2012

Base change for LPI is based on a direct calculation as for each of the individual traits.
Traits expressed on scale of Relative Breeding Values (RBV).
For Somatic Cell Score only, negative base change values represent a desirable trend in genetic progress.